
PLOT NO. 60/61, PANDOL INDUSTRIAL AREA, VED ROAD, KATARGAM,
SURAT, GUJARAT -395004

TECHNICAL DATA SHEET RP – 108

Fire Retardant Vermiculite Paint (Water Based)

RECOMMENDED USE

This fire-resistant coating is designed for application on:

- Wall
- Metal Structure

The coating renders substrates fire-resistant to **Class 1 surface spread of flame** as per **BS-476**

Part 7&8 (Govt. Lab. NTH Test Report).

PHYSICAL DATA

- **Color:** Light Brown
- **Finish:** Matt
- **Application:** By brush or spray
- **Thinner:** Clean water
- **Recommended DFT:** 60 microns per coat **Over coating Interval:**
 - *Minimum:* 8 hours ◦ *Maximum:* 24 hours (surface must be roughened by emery scuffing if exceeded)

COVERAGE (*per liter*)

Substrate Coverage (m²/L)

Coverage : 10 Sq Mtr Per 1 Ltr

DRYING CHARACTERISTICS

(At 30°C and 65% Relative Humidity)

- **Touch Dry:** 3 hours
- **Hard Dry:** 8 hours
- **Full Cure:** 7 days

SHELF LIFE

- **1 year** when stored at room temperature in original, sealed containers.

COMPATIBILITY

- Recommended for use over **fire-resistant primer RP-108/1**.

RESISTANCE GUIDE

Agent	Resistance	
Fire	Conforms to BS-476 Part 8	
Acid	No effect (5% HCl)	
Alkali	No effect (5% NaOH)	
Water	No effect (40°C, 7 days)	
Termites	Apply 1 coat of FR Primer RP-108/1	+ 2 coats of RP-108 to eliminate infestation.

SURFACE PREPARATION

- Clean all surfaces thoroughly, removing dust, grease, and moisture.
- Apply **FR Primer** before the topcoat for optimal performance.

HEALTH & SAFETY

- Always consult the **Material Safety Data Sheet (MSDS)** before use.
- Ensure compliance with relevant **national health, safety, and environmental regulations**.

- Use **adequate ventilation** and wear **protective gear** (gloves, goggles, masks, etc.) during application.
- Avoid contact with skin and eyes. Do not inhale vapours or spray mist.
- This is a **water-based product**. Use appropriate safety precautions to prevent exposure to hazardous fumes.



Mfg by **RUDRA ENTERPRISE**

Website: www.rudrapaint.com

E Mail:- rudrapaint@yahoo.com

Your Safety is Our Motto

XXXXXXXXXX-----XXXXXXXXXX